

F900 Doduct Brochuce



Market-leading

Falcon Foodservice Equipment is the UK's leading manufacturer of high quality professional cooking equipment.

We've been in business for 200 years, providing the UK and International catering industry with a comprehensive range of reliable, practical and proven products, all made to the highest quality standards in our modern manufacturing facility in Scotland.

We have invested significantly in manufacturing processes to ensure that our highly skilled, flexible and committed workforce have the best possible tools and equipment to continue to produce outstanding products to meet the needs of the catering industry now and in the future.

Your partner

Falcon is more than just a manufacturer and supplier of equipment. Buying from us is just the start of the experience.

Award-winning customer service, responsive technical support and a team of highly knowledgeable and dedicated sales professionals are available to provide information that allow you to make the correct choice for your business and kitchen.

Being a market leader is more than just sales - it's about setting the standard. We are at the forefront of delivering customer focussed solutions. Whether it be menu development, bespoke product solutions or energy efficiency, we have the capabilities at Falcon to deliver.

Falcon is more than just an equipment manufacturer



Contents

About F900 series04
Dynamic link system 07
Gas open tops
Gas solid tops 10
Electric hotplates
Fryers 12
F900 features
Induction

Chargrills 18
Griddles 20
Flexi Pan22
Complementary products 24
Bulk cooking
Stands / cabinets 27
Product Range28
Finishing Touches





The F900 Series has been designed to provide chefs with a range of stylish, versatile and practical cooking equipment that delivers flexibility, capacity and functionality to any kitchen, resulting in a five star cooking experience.

Form

Good design is when form and function come together in perfect balance. This is illustrated with the F900 Series. Modern manufacturing processes such as projection welding allow clean, distinctive styling and precision build. This, combined with optional extras such as hob rails, kick strips and end panels result in a product range that is ideal for front of house.

Function

Subtle and intelligent design, constructed using proven industry-

The Fgoo Series

leading components makes the F900 Series the perfect choice for busy kitchens. 304 culinary grade stainless steel combined with a 2mm thick hob ensure products will withstand even the most harsh kitchen environments.

F900 Series offers a comprehensive range of gas, electric and unheated models. With features such as highpower burners offering fast heat-up times and fryers with built in filtration to extend oil life, functionality is at the heart of F900 design. Functionality isn't only for cooking performance. All F900 gas models can be converted onsite quickly and easily to operate using natural, propane or butane gas. Servicing can be carried out from the front of the unit, saving time and causing the minimum of disruption to busy working kitchens. They can also be connected to the gas supply from below or the rear of the unit, again offering choices at the installation stage.





Hygienic

Good design makes the chef's job easier and more pleasurable. The F900 Series does exactly that. Cleaning appliances and keeping them clean is easier with F900.

- Edge to edge suiting of units means no more gaps between equipment for grease and debris to build up.
- Open top models have a onepiece hob with sealed burner wells to contain spillages. With wide radiused corners, individual pan supports and removable burners cleaning is no longer a chore.

- Griddle plates are completely surrounded by a grease trough. This enables quick and easy cleaning of the plate, ready for the next menu item.
- Most units with electrics are IPX5 water resistant certified.
- Gas chargrill brander bars are reversible. This means food items can be cooked on cleaner bars even during busy service periods. With all major components easily removable-branderbars, radiants, burners, sidescreens, grease container and debris collection tray - cleaning is simpler, therefore performance can be maintained for years to come.







The Dynamic Link System (DLS)* allows the F900 Series range of equipment to be joined tightly together quickly and without fuss. This provides the look, feel and hygiene advantages of a single piece top with the many benefits of separate units, such as ease of installation, service and maintenance.

* UK Patent No. 2540131

OpenTop Gas Models

Chefs can depend upon F900 open top models to cope with the busiest of demands under the most harsh conditions.

Each unit features powerful 9.5kW twin flame burners as standard, individual cast iron pan supports and sealed burner wells with radiused corners. These help make the hobs easy to clean and keep clean. Oven range models feature a 2/1 gastronorm compatible oven with a metal to metal door seal, ensuring heat is kept where you need it in the oven.

Benefits

- Fast heat up with powerful
 9.5kW burners as standard
- Individual cast iron pan supports easily cope with tough treatment
- Easy to clean, one-piece pressed hob with sealed burner wells
- Individually protected burner pilots
- Oven temperature of 80-280°C is ideal for variety of food items



Did you you? "The double ring burners direct flame onto pan base, perfect for any size of pan. "



Solid Top Gas Models

Perfect for multi-pot cooking, the cast iron plate provides up to 450°C heat at the centre, graduating outwards.

The chef's solid top is the ideal choice for most kitchens, particularly those offering á la carte and requiring lots of pan work and high temperatures. The plate is level with the surrounding hob - creating a larger work area.

The oven range model features a 2/1 gastronorm compatible oven with a metal to metal door seal, temperature range of 80 - 280°C and piezo ignition.

Benefits

- Powerful, central cast iron burner delivers graduated heat across the cooking surface
- Removable centre section for direct heat to pans
- Heavy cast iron plate able to withstand harsh pan work
- Oven range models feature an easy to light 2/1 gastronorm oven with piezo ignition as standard
- Oven range models feature 5 shelf positions, with 2 shelves supplied as standard



Did you you? " The double ring burners direct flame onto pan base, perfect for any size of pan. "

Electric Hotplate Models

F900 electric boiling tops and ranges feature high performance cast iron hotplates.

Each unit features powerful 4kW square hotplates with six heat positions as standard, set in pressed hob wells with radiused corners. These contain spillages, helping make the hobs easy to clean and keep clean. Oven range models feature a 2/1 gastronorm compatible oven with a metal to metal door seal, ensuring heat is kept where you need it in the oven.

Benefits

- Fast heat up with powerful 4kW hotplates as standard
- Square cast iron hotplates easily cope with tough treatment
- Each hotplate has six heat positions for added temperature control
- Easy to clean, one-piece pressed hob with deep drawn wells to contain spillages
- Oven temperature of 80 300°C is
 ideal for variety of food items





Enjoy fast and fuss-free frying with our great range of F900 gas and electric fryers.

High output and fast recovery times, combined with the option of inbuilt filtration make the F900 fryer 'The Ultimate Frying Machine'.

Twin pan electric models are the ideal complement to a kitchen's main fryer, providing rapid cooking of individual portions and the ability to confidently cater for any dietary requirements.

Benefits

- Fast heat up and recovery times deliver high quality food and greater output
- Reduced running costs due to low oil capacity to power ratio
- Increase oil longevity and food quality with optional integrated filtration model
- Supplied with pan lid as standard to preserve oil when not in use



Did you know?

The inbuilt filtration system takes less than six minutes to completely filter the oil ready for the next batch of food.



Induction

F900 induction delivers the professional kitchen a true alternative to traditional gas tops.

F900 induction models are guaranteed to become an instant favourite with kitchen staff - energy efficient, fast heat up, instant heat, precise control plus low heat emissions and easy clean combine to deliver the perfect cooking experience.

Manufactured from commercial, industry-leading induction components ensures F900 induction products that are guaranteed to last, with a lifespan of 30,000 hours.

Benefits

- Move from gentle simmer to a rolling boil in seconds with instant temperature control
- Choice of 3.5 or 5kW heat zone options to suit available kitchen power
- Hob simply wipes clean, no need to scrub
- Cooler kitchen environment as minimal heat emissions
- Safer for kitchen staff as no flames means less chance of burns
- Induction ranges feature either general purpose or fan-assisted convection 2/1 GN ovens
- Brander bars, radiants, burners, grease collection tray and debris col



Did you you? " A sky heat zone can bring one litre of water to the boil in less than 100 seconds. "









*UK Patent No. 2540131

Gas Chargnills

Chargrilling food? The F900 chargrill is everything you could possibly want in a chargrill, delivering perfectly cooked and branded food for your customers to enjoy.

Chefs will love the full-width cooking zone, easy-clean pressed drip tray and reversible cast iron brander bars. The entire cooking surface is evenly heated to maximise cooking area. Chef's can also create different temperature zones with variable height brander positions and individually controlled burners.

Benefits

- Higher output with full width cooking
- Reversible brander bars offer twosided cooking - perfect for those long service periods
- Cast iron radiants protect burners from food debris and prevent flare up
- Resting area keeps food warm without overcooking
- All components removable for ease of cleaning



now? "Insert fascinating fact about gas chargnills

Electric Chargnills

F900 electric chargrills enable kitchens that can't or won't use traditional gas models an opportunity to offer freshly chargrilled food to their customers.

Menu items are cooked directly upon the elements, providing the attractive branding that is expected from chargrilling. Heat up time is only five minutes so unit can be switched off when not in use, making it more efficient than gas equivalents.

Benefits

- Fast heat up ready to use significantly faster than gas models
- Even temperature across the entire cooking area
- Elements swivel upwards and lock for ease of cleaning
- No water supply required so install is easy
- Magnetic splashguards prevent spatter on adjacent equipment and are easily removed for cleaning





From pancakes and eggs to steaks and chicken, F900 has a model to suit all your griddling needs.

A choice of smooth, ribbed or chromed finish in either 400 or 800mm widths, all in either gas or electric, are available to best suit your own individual requirements.

Achieve perfect results every time from the thermostatically controlled polished steel or chromed plate with temperatures of $90 - 300^{\circ}$ C.

Benefits

- Choice of 18mm thick polished steel, chromed or ribbed plate
- Easy to clean as grease trough completely surrounds plate
- Thermostatically-controlled to deliver more even cooking and precise temperature control across the entire griddle surface
- Temperature range of 90 -300°C makes the range of F900 griddles perfect for all kinds of food items



Did you with low heat emissions and ease of cleaning, the chrome griddle is ideal for front of house cooking.



FlexiPan

Add flexibility and capacity to even the smallest kitchen with our multi-functional compact, easy to clean flexi pan.

This unit can perform many methods of cookery, including shallow frying, boiling, stewing, poaching, braising and steaming. It's essentially a mini bratt pan, large pot, sauté pan, wok, griddle, pan steamer and bain marie all in one 400mm wide unit.

The Flexi Pan has a temperature range of 60 -280°C and has a capacity of 12 litres, with even cooking across the entire surface. The unit is packed full of great features that makes kitchen staff's lives easier. Manual fill makes the unit easier to install.

Benefits

- Provides versatility and capacity to any kitchen
- Can be used to prepare breakfast, lunch and dinner items so great use of available kitchen space
- Optimum settings for cooking methods clearly marked on control panel
- 12 litre capacity pan with 200mm deep 1/1 GN pan below for easy decanting
- Radiused corners within cabinet prevent grease and dirt build up



Did you know?

Insert fascinating fact about flexi pans



Complementary Products

Finish your F900 cookline with one of our fantastic electric complementary products.

Pasta Cooker

- Makes producing bulk quantities or individual portions simple
- 1/3 and 1/6 baskets available to suit specific requirements
- This unit can also be used to cook other foods, such as eggs or vegetables
- Powerful elements ensure faster heat-up times
- Starch draw-off ensures
 clean water during cooking





Rise and Fall Grill

- Instant heat delivered by powerful infra-red elements
- Automatic plate sensing technology saves time and energy
- 1/1 GN compatible, making it easy to transfer food directly from other equipment for finishing
- Precise control of time, temperature and element height ensures perfect cooking results



Chip Scuttle

- Chips heated from above and below to ensure they are kept at optimum temperature
- Simple on/off switch operation
- Supplied with removable, angled, perforated base to make it easier to scoop up chips
- Can be supplied on fixed or mobile stand if required

Bain Marie

- Accommodates 1/1 GN containers up to 150mm deep
 - Manual fill well means no water supply required
 - Drain water easily through valve located at front of unit
 - Temperature range of 70 90°C ensures food held at ideal temperature
 - Full height model





Sous Vide Water Bath

- 28 litre capacity so ideal for individual portions or large joints of meat
- Less food waste minimal weight loss means more yield and increased profit
- Convenient ideal for slow cooking and overnight cooking
- Manual fill well so no need to connect to water supply

Bulk Cooking

When large quantities of food need to be produced look no further than F900 to provide the solution.

F900 gas and electric boiling and bratt pans are ideal to suit bulk production kitchens, with capacities large enough to deliver. Both models feature an integrated water faucet for ease of filling and cleaning.



Boiling Pan

- Choice of 100 or 150 litre capacity 316 stainless steel pans
- Features an integrated water faucet and drain for ease of use
- Dual pan delivers indirect heat to ensure your food is protected from fierce direct heat
- Counter-balanced lid enables incremental opening as required
- Square-casing allows for fully integrated cookline

Benefits

- 80 litre capacity
- Features an integrated water faucet for ease of fill and cleaning
- 304 grade stainless steel pan with duplex steel base provides added longevity
- Manual tilting allows precise decanting of food
- Counter-balanced lid enables incremental opening as required



Stands & Cabinets

F900 cabinets and infill units finish off the cookline, provide additonal workspace and storage.

- Cabinets available in 400 or 600mm widths
- Cabinets have the option of pressed runner shelves
- Can be supplied open, with runners or with a door
- Two door cabinet available for standard Falcon combination ovens to sit upon
- Infill units of 100 and 200mm available to complete the cookline
- Stands are available for all countertop units 400, 600, 800, 900 and 1200mm



ProductRange

Model	Description	Fuel	Width
Oven Ranges	Description	Fuel	width
E9184	Four botalate over range	Floatria	800mm
G9184	Four hotplate oven range	Electric Gas	800mm
	Oven range, (4 x 9.5kW)		
G9181	Solid top oven range	Gas	800mm
Boiling Tops E9042	Two hotelets beiling top	Fleetrie	400,000,000
	Two hotplate boiling top	Electric	400mm
E9084	Four hotplate boiling top	Electric	800mm
G9042	Boiling top (2 x 9.5kW burner)	Gas	400mm
G9084	Boiling top (4 x 9.5kW burner)	Gas	800mm
G90126	Boiling top (6 x 9.5kW burner)	Gas	1200mm
G9081	Solid top boiling top	Gas	800mm
Fryers	T i i i i i		100
E9341	Twin basket fryer	Electric	400mm
E9341F	Twin basket fryer with inbuilt filtration	Electric	400mm
E9342	Twin pan fryer with single drain bucket	Electric	400mm
E9342B	Twin pan fryer with two drain buckets	Electric	400mm
E9342F	Twin pan fryer with filtration	Electric	400mm
E9342F2	Twin pan fryer with twin filtration	Electric	400mm
G9341	Twin basket fryer	Gas	400mm
G9341F	Twin basket fryer with inbuilt filtration	Gas	400mm
Chip Scuttle			
E9646	Chip Scuttle	Electric	400mm
E9646 Chargrills			
E9646 Chargrills E9460	Electric chargrill (single element)	Electric	600mm
E9646 Chargrills E9460 E9490	Electric chargrill (single element) Electric chargrill (2 elements)	Electric Electric	600mm 900mm
E9646 Chargrills E9460 E9490 G9440	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars)	Electric Electric Gas	600mm 900mm 400mm
E9646 Chargrills E9460 E9490 G9440 G9460	Electric chargrill (single element) Electric chargrill (2 elements)	Electric Electric	600mm 900mm
E9646 Chargrills E9460 E9490 G9440	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars)	Electric Electric Gas	600mm 900mm 400mm
E9646 Chargrills E9460 E9490 G9440 G9460	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars)	Electric Electric Gas Gas	600mm 900mm 400mm 600mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars)	Electric Electric Gas Gas Gas	600mm 900mm 400mm 600mm 900mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW)	Electric Electric Gas Gas Gas	600mm 900mm 400mm 600mm 900mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G9490 G94120 Induction	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars)	Electric Electric Gas Gas Gas Gas	600mm 900mm 400mm 600mm 900mm 1200mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9460 G9490 G94120 Induction i91104	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW)	Electric Electric Gas Gas Gas Gas Gas Electric Electric	600mm (900mm (400mm (600mm (900mm (1200mm (
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 5kW)	Electric Electric Gas Gas Gas Gas Electric Electric Electric Electric Electric Electric Electric	600mm 1 900mm 1 400mm 1 600mm 1 900mm 1 1200mm 1 1000mm 1
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91104C	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW), convection oven	Electric Electric Gas Gas Gas Gas Electric Electric Electric Electric Electric Electric Electric Electric Electric	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91104C i91105C	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven	Electric Cas Gas Gas Gas Gas Electric Cas Electric Cas Electric Cas Electric Cas	600mm 900mm 400mm 600mm 900mm 1200mm 1200mm 1000mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91104C i91105C i9042	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven Induction boiling top (2 x 3.5kW zones)	Electric Gas Gas Gas Gas Electric	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm 1000mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91104C i91105C i9042 i9043	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW) Induction range (4 x 5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven Induction boiling top (2 x 3.5kW zones) Induction boiling top (2 x 5kW zones)	Electric Cas Gas Cas Gas Cas Gas Cas Electric Cas Electric Cas Electric Cas Electric Cas Electric Cas Electric Cas	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm 1000mm 1000mm 1000mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91105C i9042 i9043 i9084	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven Induction boiling top (2 x 3.5kW zones) Induction boiling top (2 x 5kW zones)	Electric Gas	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91104C i91105C i9042 i9043 i9085	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven Induction boiling top (2 x 3.5kW zones) Induction boiling top (2 x 5kW zones)	Electric Gas	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm
E9646 Chargrills E9460 E9490 G9440 G9460 G9490 G94120 Induction i91104 i91105 i91105C i9042 i9043 i9085 Griddles	Electric chargrill (single element) Electric chargrill (2 elements) Chargrill (1 x burner, 4 x brander bars) Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 3.5kW) Induction range (4 x 5kW), convection oven Induction range (4 x 5kW), convection oven Induction boiling top (2 x 3.5kW zones) Induction boiling top (2 x 5kW zones) Induction boiling top (4 x 3.5kW zones) Induction boiling top (4 x 5kW zones)	Electric Gas Gas Gas Gas Gas Gas Gas Electric El	600mm 900mm 400mm 600mm 1200mm 1200mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm

Model	Description	Fuel	Width
Griddles			WIGHT
E9581	Machined steel griddle - smooth	Electric	800mm
E9581R	Machined steel griddle - half ribbed	Electric	800mm
E9581CR	Machined steel griddle - chrome	Electric	800mm
G9541	Machined steel griddle - smooth	Gas	400mm
G9541R	Machined steel griddle - ribbed	Gas	400mm
G9541CR	Machined steel griddle - chrome	Gas	400mm
G9581	Machined steel griddle - smooth	Gas	800mm
G9581R	Machined steel griddle - half ribbed	Gas	800mm
G9581CR	Machined steel griddle - chrome	Gas	800mm
Bratt Pan			
E9881	Bratt pan (<i>80 litre</i> s)	Electric	800mm
G9881	Bratt pan (<i>80 litres</i>)	Gas	800mm
Boiling Pan			
E9781-100	Boiling pan (100 litres)	Electric	800mm
E9781-150	Boiling pan (150 litres)	Electric	800mm
G9781-100	Boiling pan (100 litres)	Gas	800mm
G9781-150	Boiling pan (150 litres)	Gas	800mm
Flexi Pan			
E9941	Flexi Pan	Electric	400mm
Pasta Cooker			
E9241	Pasta cooker	Electric	400mm
Sous Vide Wate	er Bath		
E9640	Sous Vide Water Bath	Electric	400mm
Bain Marie			
E9641	Bain Marie	Electric	400mm
Rise and Fall G	-ill		
E600	Rise and fall grill	Electric	600mm
Cabinets / Wor	ktop units		
N940	Cabinet	n/a	400mm
N940D	Cabinet with door	n/a	400mm
N941	Cabinet with runners	n/a	400mm
N960	Cabinet	n/a	600mm
N960D	Cabinet with door	n/a	600mm
N961	Cabinet with runners	n/a	600mm
N940T	Worktop unit	n/a	400mm
N980T	Worktop unit	n/a	800mm
N990T	Worktop unit	n/a	900mm
Infill Units			
N910	Infill unit	n/a	100mm
N920	Infill unit	n/a	200mm
Stands			
ST40 / ST40D	Stand / Stand with door for 400mm w		400mm
ST60 / ST60D	Stand / Stand with door for 600mm w		600mm
ST80 / ST80D	Stand / Stand with door for 800mm v		800mm
ST90 / ST90D	Stand / Stand with door for 900mm v	vide units	900mm
ST120	Stand for 1200mm wide units		1200mm

Accessories

Finish off your custom cookline with our range of finishing touches.



Kick Strips - available in 400, 600, 800, 900 and 1200mm lengths - side kick strips also available - fit across multiple units



Side Hob Extension - a stylish way to finish the cookline - available for left or right hand side



Front Hob Rail - offers further functionality and elegance to the cookline



Rear Blanking Plate - fills the gap between unit and wall if side can be seen



Trivet - enables electric hotplate models to be used like a solid top



Fryer Side Screens - offers protection against splashing oil and cross contamination of oil from other appliances



Pasta Cooker Baskets - ideal for producing individual or smaller portions - 1/6 or 1/3 size - lid also available



 Chargrill Griddle Plate
 adds versatility to your chargrill



Bench Legs - mount the E600 on legs when there's no wall space available





Falcon Foodservice Equipment

Wallace View, Hillfoots Road, Stirling, FK9 5PY, Scotland, UK t: **+44 (0) 1786 455 200** e: **info@falconfoodservice.com**

www.FalconFoodservice.com



an Ali Group Company



F900PB/1220